
Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

BA Water 3 mL

Report To:
Luminex Peptides

Compound: BA Water
Quantity: 3 mL
Laboratory ID: V261006-2 008
Lot Number: LT270405
Date Reported: 10/14/2026



Analysis	Method	Result	Acceptable Range	Pass/ Fail
Benzyl Alcohol Content	HPLC-UV/VIS	0.87%	0.72%-1.08%	Pass
pH	USP <791>	6.73	4.0-7.0	Pass



Report By: Dustin Newman, Laboratory Director on 10/14/2026

Approved By: Tori Johnson, Operations Director on 10/14/2026

ISO 17025:2017 ACCREDITED LABORATORY

Please consult A2LA Certificate #6377.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch. Blend purity is the combined chromatographic area % of peaks identified as the intended components, not absolute mass purity. It does not establish individual component purity, quantity, or ratio. Co-eluting or otherwise undetected impurities may not be included, despite peak-purity and spectral-library review.